Security Gateway 3100 Series



Brings security to your network

CLOVISTER



Clavister Security Gateway 3100 Series

Brings security to your network



Clavister Security Gateway 3100 Series

The Clavister Security Gateway 3100 Series is a new set of turn-key, hardware based, security products designed for small and medium sized enterprises or similar organisations with equal needs and demands.

The 3100 Series is based on the same award winning technology as all Clavister products which in other words means extreme security, high performance and a versatile set of functionality.

Versatile Security Solutions

All Clavister products are built to provide supreme and highperforming security at an unparalleled price / performance ratio.

With a rich set of functionality such as Bandwidth Management, Office-to-Office VPN, User Authentication, High-Availability, Deep Inspection with Intrusion Detection and Prevention, Layer 7 Application Recognition, Content Filtering and advanced routing capabilities, we do not only see our products as gateways in complex networks but also as business platforms that grow with your needs.

Protect your confidentiality

IPsec compliant VPN functionality is an integral feature of all Clavister Security Gateway products. With up to 600 simultaneous VPN tunnels and 150 Mbit/s VPN throughput, the Clavister Security Gateway 3100 Series is capable of enabling any complex VPN solution.

The Clavister Security Gateway 3100 Series is designed for communication. Supremely secure communication.





Security

- Proprietary firmware no inherited vulnerabilities
- Proven, industry-standard algorithms
- Deep Inspection with Intrusion Detection and Prevention, Application Recognition and Content Filtering for advanced application layer security

Performance

- 300 Mbit/s Plaintext throughput and 130 Mbit/s VPN throughput
- 128.000 Concurrent Connections
- 600 Concurrent VPN Tunnels

Versatile Security

- Integrated VPN, Bandwidth Management and clustering
- High-end features, including VLAN and User Authentication

Low total cost of ownership

- No time-consuming maintenance tasks
- All operations conducted from central enterprise security management system
- Investment-friendly licensing model



Clavister Security Gateway 3100 Series

Feature Overview

Feature list	3110 3150	Feature list	3100 Series
System Performance and Capacity		Addressing and Routing	
Plaintext Throughput (Mbps)	200 300	Static IP	Yes
AES/3DES Throughput (Mbps)	70/70 130/100	Static ARP Entries	Yes
, 31 . 17			
Concurrent Connections	32.000 128.000	Published IP Addresses	1024
Concurrent VPN Tunnels	300 600	Published Ethernet Addresses	Yes
Number of Users	Unlimited Unlimited	Proxy ARP (Transparent Mode)	Yes
Ethernet Interfaces	6 x 100BASE-TX 6 x 100BASE-TX	DHCP Client, Server and Relay	Yes
Number of Virtual (VLAN) Interfaces	128 256	PPPoE	Yes
		Static Routing	Yes
		Number of Routes	512
Feature list	3100 Series	Policy-based Routing (PBR)	Yes
		OSPF*	Yes
Firewall		Logging / Monitoring	
Stateful Packet Inspection (SPI)	Yes	Clavister Firewall Logger	Yes
Polic-based NAT	Yes	Syslog	Yes
Policy-based PAT	Yes	Real-time Log Viewer	Yes
Network Attack Detection/Prevention	Yes	Number of Log Recievers	8
DoS and DDoS Detection/Prevention	Yes	Graphical Log Analyzer	Yes
·	Yes	Command Line Log Query Tools	Microsoft Windows, Linux
TCP Reassembly	10	Log Export Format	CSV
VDN Vintual Driveta Naturalia		NetIQ WebTrends Support	Yes
VPN – Virtual Private Networking	AEC (Diindeel) 2DEC DEC Twofish	1.1	Yes
Encryption	AES (Rijndael), 3DES, DES, Twofish,	elQNetworks FirewallAnalyzer Support Real-time Performance Monitoring	
A discourse of	Blowfish, CAST-128	3	Yes
Authentication	SHA-1, MD5	SNMP Polling	Yes
IKE Modes	Main, Aggressive	Management	
Perfect Forward Secrecy (DH Groups)	1,2,5	Management	RS232
X.509 Certificates, Pre-Shared Keys	Yes	Local Console	
Peer Authentication	Built-in Database, IP, DNS-name,	Command-line based Remote Management	Microsoft Windows, Linux
LANLE- LANLYDNI	E-mail, X.500 Distinguished Name Yes	Graphical Enterprise Remote Management Multi-Firewall Management	Included in all products Yes
LAN-to-LAN VPN	Yes	Number of Administrators	Unlimited
Roaming Clients Star VPN Design Support	Yes	Administrative Networks	Unlimited
PKI Certificate Requests	PKCS#7, PKCS#11	Remote Fail-safe Operation	Yes
Self-Signed Certificates	Yes	Revision History	Complete Configurations
IPSec NAT Traversal (NAT-T)	Yes	Centrally Archived Configurations	Yes
VPN Policy Selection Through	Firewall Ruleset, Routing, PBR	Firewall Core Upgrades	Complete remote software upgrades.
VPN Tunnel Keep-alive	Yes	The vall core opgrades	complete remote software apgrades.
L2TP*	Yes		
PPTP*	Yes	User Authentication	
		External RADIUS User Database	Yes, multiple servers
Application Layer Gateways		CHAP, PAP	Yes
FTP	Yes	RADIUS Challange/Response (HTTP)	Yes
Run-time Active/Passive FTP Transformation	Yes	Customizable HTTP(s) Front-end	Yes
H.323	Yes	VPN IKE XAuth	Yes
HTTP	Yes	Microsoft Active Directory Integration	Yes
ActiveX / Java applet Filtering	Yes	· -	
Javascript / VBscript Filtering	Yes	Dimensions and Weight	
URL Filtering	Yes	H x W x D (mm)	44x440x270
		Weight	5.2 kg
Deep Inspection*		Form Factor	1U
Policy-based IDS/IDP	Yes	Rack Mountable 19"	Yes
Policy-based Application Recognition	Yes	Power Supply (AC)	100-240V 50 to 60 Hz AC
IP Black-listing	Yes	Power Supply (DC)	36VDC to 72VDC
Number of Layer 7 Attack Definitions	>1.000		
Pandwidth Management			
Bandwidth Management	Vac	Regulatory and Safety Standards	
Policy-based Bandwidth Management	Yes Yes	Safety: UL, CUL, CSA, CB	
Guaranteed / Maximum Bandwidth	Yes	EMC: FCC class A, BSMI, CE class A, C-Tick, VCCI class A	
Dynamic Bandwidth Balancing	Yes		
Priority Levels	163	Enviromental	
High Availability		Humidity: 20% to 95% noncondensing	
Firewall and VPN state Syncronization	Yes	Operational Temperature: 0 to 55 C	
Device Failure Detection	Yes	Vibration: 0.41 Grms2 (3-500 Hz)	
Dead Link, Gateway and Interface Detection	10	Shock: 30 G	
Average Failover time	Yes	MTBF: 6 years	
Average ranover affic		Acoustic Noise: 45 dBa max	



Clavister Security Gateway 3100 Series

Additional Information

Warranty

All products in the Clavister Security Gateway 3100 Series come with a two (2) years standard RMA warranty and 90 days Software Subscription covering all major and minor software releases counting from the Start Date.

Start Date means the earlier of Product registration or ninety (90) days following shipment from Clavister.

Contact Information

General comments or questions: info@clavister.com

Sales questions:

If you require product information, price lists etc sales@clavister.com

Partner questions:

Questions related to the Clavister Partner Program partner@clavister.com

Technical Support: support@clavister.com

Ordering information: order@clavister.com

About Clavister

Clavister is a leading developer of high-performance IT/IP security technology. Clavister brings unsurpassed network security and the power of its solutions to the global firewall and VPN market. The products, based on unique technology, include carrier-class firewalls and VPN solutions. They have been awarded preferred choice by international press and are in use today by thousands of satisfied customers.

Clavister was founded 1997 in Sweden. Its R&D and headquarters is situated in Örnsköldsvik, Sweden and its solutions are marketed and sold through sales offices, distributors and resellers in Europe and Asia. Clavister also offers its technology to OEM manufacturers.

For more information please visit: www.clavister.com

Ordering Information

Clavister Security Gateway 3110

Clavister Security Gateway 3110 (AC)

Clavister Security Gateway 3110 (DC)

Clavister Security Gateway 3110 (DC)

Clavister Security Gateway 3110 Failover Unit (AC)

Clavister Security Gateway 3110 Failover Unit (DC)

Clavister Security Gateway 3110 Failover Unit (DC)

Clavister Security Gateway 3110 Failover Unit (DC)

CLA-APP-SG3110-SS12

Software Subscriptions - Major and Minor Releases

12 months

 Standard Unit
 24 months
 CLA-APP-SG3110-SS24

 Standard Unit
 36 months
 CLA-APP-SG3110-SS36

 Failover Unit
 12 months
 CLA-APP-SG3110-F0-SS12

 Failover Unit
 24 months
 CLA-APP-SG3110-F0-SS24

 Failover Unit
 36 months
 CLA-APP-SG3110-F0-SS36

Hardware Replacement - Next Business Day Shipment & Software Subscription Bundle

Standard Unit 12 Months CLA-APP-SG3110-SSHW12
Standard Unit 24 Months CLA-APP-SG3110-SSHW24
Standard Unit 36 Months CLA-APP-SG3110-SSHW36
Failover Unit 12 Months CLA-APP-SG3110-F0-SSHW12

Failover Unit 12 Months CLA-APP-SG3110-F0-SSHW12
Failover Unit 24 Months CLA-APP-SG3110-F0-SSHW24
Failover Unit 36 Months CLA-APP-SG3110-F0-SSHW36

License upgrades

Failover Unit

Standard Unit

SG3110 to SG3150 License Upgrade CLA-APP-SG3110-SG3150

Clavister Security Gateway 3150

Clavister Security Gateway 3150 (AC)

Clavister Security Gateway 3150 (DC)

Clavister Security Gateway 3150 (DC)

Clavister Security Gateway 3150 Failover Unit (AC)

Clavister Security Gateway 3150 Failover Unit (DC)

Clavister Security Gateway 3150 Failover Unit (DC)

Software Subscriptions - Major and Minor Releases

 Standard Unit
 12 months
 CLA-APP-SG3150-SS12

 Standard Unit
 24 months
 CLA-APP-SG3150-SS24

 Standard Unit
 36 months
 CLA-APP-SG3150-SS36

 Failover Unit
 12 months
 CLA-APP-SG3150-F0-SS12

 Failover Unit
 24 months
 CLA-APP-SG3150-F0-SS24

Hardware Replacement - Next Business Day Shipment & Software Subscription Bundle

36 months

Standard Unit 12 Months CLA-APP-SG3150-SSHW12 24 Months CLA-APP-SG3150-SSHW24 Standard Unit Standard Unit 36 Months CLA-APP-SG3150-SSHW36 CLA-APP-SG3150-FO-SSHW12 Failover Unit 12 Months Failover Unit 24 Months CLA-APP-SG3150-FO-SSHW24 Failover Unit 36 Months CLA-APP-SG3150-FO-SSHW36



Torggatan 10, Box 393 • SE-891 28 ÖRNSKÖLDSVIK • SWEDEN Phone: +46 (0)660 29 92 00 • Fax: +46 (0) 660 122 50 info@clavister.com • www.clavister.com













CLA-APP-SG3150-F0-SS36

